

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-18415
 Name of Facility: West Hialeah Gardens Elementary
 Address: 11990 NW 92 Avenue
 City, Zip: Hialeah 33018

Type: School (more than 9 months)
 Owner: M-DCSB Food and Nutrition
 Person In Charge: M-DCSB Food and Nutrition Phone: (786) 275-0400
 PIC Email: sharongonzalez@dadeschools.net

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 08:20 AM
Inspection Date: 1/17/2020	Number of Repeat Violations (1-57 R): 1	End Time: 09:10 AM
Correct By: Next Inspection	FacilityGrade: N/A	
Re-Inspection Date: None	StopSale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- IN** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN** 30. Pasteurized eggs used where required
- IN** 31. Water & ice from approved source
- NA** 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN** 33. Proper cooling methods; adequate equipment
- IN** 34. Plant food properly cooked for hot holding
- NO** 35. Approved thawing methods
- OUT** 36. Thermometers provided & accurate **(COS)**

FOOD IDENTIFICATION

- IN** 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN** 38. Insects, rodents, & animals not present
- IN** 39. No Contamination (preparation, storage, display)
- IN** 40. Personal cleanliness
- IN** 41. Wiping cloths: properly used & stored
- IN** 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN** 43. In-use utensils: properly stored
- IN** 44. Equipment & linens: stored, dried, & handled
- IN** 45. Single-use/single-service articles: stored & used

- IN** 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- OUT** 47. Food & non-food contact surfaces **(R)**
- IN** 48. Ware washing: installed, maintained, & used; test strips
- IN** 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN** 50. Hot & cold water available; adequate pressure
- IN** 51. Plumbing installed; proper backflow devices
- IN** 52. Sewage & waste water properly disposed
- IN** 53. Toilet facilities: supplied, & cleaned
- IN** 54. Garbage & refuse disposal
- IN** 55. Facilities installed, maintained, & clean
- OUT** 56. Ventilation & lighting **(COS)**
- IN** 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Violations Comments

Violation #36. Thermometers provided & accurate
Missing Thermometer in Milk box.
Replace Thermometer.
Corrected on Site (COS).

CODE REFERENCE: 64E-11.003(4). Thermometers must be calibrated to ensure accuracy in accordance with Rule requirements. Food thermometers scaled in Celsius (C) shall be accurate to plus or minus 1°C or in Fahrenheit (F), accurate to plus or minus 2°F. Food thermometers should be accessible for use by employees and have a probe size appropriate to the food item.

Violation #47. Food & non-food contact surfaces

Issues:

Electric serving Line 1; not working:

Work Order # Pending-Notification # 10099380.

Repair serving Line.

Electrical serving Line 2; not working:

Work Order # Pending-Notification # 10110993.

Repair serving Line.

Electrical on/off switch on gas stovetop; not working:

Work Order # Pending-Notification # 10099480.

Repair gas stovetop.

CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.

Violation #56. Ventilation & lighting

Dust/dirt on HVAC exhaust filter system in Dry Storage Room.

Clean HVAC exhaust filter system.

Corrected on Site (COS).

CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.

General Comments

Handwash sink: Water temperature 104°F.

Refrigerator temperature 37°F.

Freezer temperature -1°F.

Walk-in-Freezer temperature 0°F.

Walk-in-Cooler temperature 38°F.

Hot-holding: Scrambled eggs temperature 145°F.

Hot-holding: Oatmeal temperature 149°F.

Cold-holding: Milk temperature 37°F (from milk box).

Email Address(es): sharongonzalez@dadeschools.net;

tfrontela@dadeschools.net;

ipalacio@dadeschools.net;

jaybolton@dadeschools.net;

jware@dadeschools.net

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18

13-48-18415 West Hialeah Gardens Elementary

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Inspection Conducted By: Alberto Reyes (913936)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name:
Date: 1/17/2020

Inspector Signature:

Handwritten signature of Alberto Reyes.

Client Signature:

Handwritten signature of the client.